

STUDIO SOFTLIGHTS

THE FLECTRA 1000/1250W SOFTLIGHT, ARE DESIGNED FOR LOCATION LIGHTING AND SMALL STUDIO APPLICATIONS. THE ELECTRA 2000/2250W SOFTLIGHT, ARE DESIGNED FOR LOCATION LIGHTING AND MEDIUM-SIZED STUDIO APPLICATIONS. PROVIDES MAXIMUM AREA ILLUMINATION ENSURING SHADOWLESS INDIRECT FILL LIGHT.

Special optical system designed to reflect the light into the LARGER MAIN REFLECTOR TO PRODUCE INDIRECT FIELD OF ILLUMINATION.

- Compact, light-weight, with easy handling and maintenance.
- Available Manual or Pole-Operated (PO) versions.
- Reflector in either white or matt aluminium finish.
- Eggcrate available for tighter control of the beam.
- Tubular steel yokes.
- Switch in the housing.
- Accepts one linear (model 53-33) and two linear (model 53-53) tungsten lamp at 1000W (120V and 220V), 1250W (220V), 1500W (120V).

ACCESSORIES SOFTLIGHT ELECTRA



PRODUCT DESCRIPTION

SOFTLIGHT ELECTRA 1250w

MODEL 53-33 BASE R7-s



Pole Operated version

PRODUCT DESCRIPTION


SOFTLIGHT ELECTRA 2500w

MODEL 53-53 BASE R7-s



PHOTOMETRIC DATA


ELECTRA WITH LAMP P2/12 1250W 230V



DIMENSIONS


SOFTLIGHT FLECTRA 1250W 53-33

- L 230mm (9.06")
- 500mm (19.7")
- KG
- 650x550x350mm (25.59"x21.65"x13.78")




PHOTOMETRIC DATA

ELECTRA With Jamp P2/12 150w 230v



SOFTLIGHT ELECTRA 2500w 53-53

- 380mm (14.97")
- 660mm (26") 560mm (22.06")
- 13kg (28.66 Lbs)
- 700x350x600mm (27.56"x13.78"x23.62")



LAMPS

LAMP.	LAMFS							
ANSI CÓD.	LIF CÓD.	BRAND CODE	WATTS	v	SOCKET	LIFE HS	к°	
	P2/10 _	7775R PHILIPS .	<u> 625 </u>	_ 220 -	R7-S _	150	3200	
	P2/7-	— 13989R PHILIPS	— 1000 —	- 220 -	R7-S -	— 200 —	3200	
	P2/12 —	— 6358R PHILIPS	— 1250 —	- 220 -	— R7-S -	— 200 —	3200	
FFT		FFT GE	<u> </u>	_ 120 -	R7-S _	<u> </u>	3200	
FDB —		—— FDB GE —	— 1500 —	- 120 ·	— R7-S -	— 400 —	3200	

SUPPLIED WITH

- Colour frame.
- R7-s lampholder
- Safety cable.
 Switches (one) in the housing.
- 2 m Power supply cable
- Eggcrate available as accessory





P28 ⑤ ⑤ C€ These equipments comply with all applicable European directives and safety standards