
DATASHEET
www.dexel.com



# STUDIO FRESNEL 400W PRO RGBWW 2500K°-10000K°

## STUDIO FRESNEL STUDIO PRO RGBWW

***Colour-Tunable Professional Led Fresnel Developed to apply all your creativity and imagination on your video / film productions.***
Lighting engine allows adjust the CCT from 2500K to 10000K with plus/minusgreen control (G/M), and access the full colour gamut with Hue, Saturation and Intensity (HSI), RGBW mixing, digital filters and lighting effects.
LEDs calibrated with software and measured with a dedicated state-
of-the-art spectrometer to ensure uniform colour and same output performance for all Fresnel Studio Pro RGBW lights. Lens Fresnel Ø250 mm - Beam angle 15° to 55°.




| Spot | | | |
|---|---|---|---|
| Distance | 3 mts | 4 mts | 5 mts |
| Center beam | 9250 lux | 4860 lux | 3380 lux |
| Light beam Ø | 0,90 mts | 1,00 mts | 1,10 mts |

| Flood | | | |
|---|---|---|---|
| Distance | 3 mts | 4 mts | 5 mts |
| Center beam | 1350 lux | 960 lux | 595 lux |
| Light beam Ø | 3,00 mts | 4,30 mts | 5,00 mts |

# MODELS

### FSP-400/PRO/RGBWW


-RGBW for controlling the red, green, blue white intensity and mixing.
-HSI For controlling Hue, Saturation and Intesity of colours
-CCT: Colour temperature control from 2500K° to 10000K°
-G/M Plus/Minusgreen control
-Filters: offers a list of colour filters from Rosco and Lee
-Effects: Police, Candle, Lightning, Strobe, Disco, TV
-DMX/Manual control
-Dimmable 0 to 100%, Flicker Free
-Variable beam angle 15° to 55°
-Fresnel diameter 250mm

# DATASHEET

www.dexel.com



L 440mm (17.32”) W 480mm (18.90”)
H 630mm (24.80”) KG 14,500 kg




**SUPPLIED WITH:**

-Accessories supplied: Barndoor 8 leaf, and Spigot 28mm
-Manual and Pole Operation versions available

